SAFETY DATA SHEET

1. <u>Identification</u>

Product Identifier: Ofloxacin Ophthalmic Solution, USP 0.3%

Synonyms: 7H-Pyrido [1,2,3-de]-1,4-benzoxazine-6-carboxylic acid,

9-fluoro-2,3-dihydro-3-methyl-10-(4-methyl-1-

piperazinyl)-7-oxo-, (+/-)-

National Drug Code (NDC): 17478-713-10

17478-713-11

Recommended Use: Pharmaceutical.

Company: Akorn, Inc.

1925 West Field Court, Suite 300

Lake Forest, Illinois 60045

Contact Telephone: 1-800-932-5676

E mail: customer.service@akorn.com

Emergency Phone Number: CHEMTREC 1-800-424-9300 (U.S. and Canada)

2. <u>Hazard(s) Identification</u>

Physical Hazards: Not classifiable. Health Hazards: Not classifiable.

Symbol(s): None.
Signal Word: None.
Hazard Statement(s): None.
Precautionary Statement(s): None.

Hazards Not Otherwise Classified: Not classifiable.

Supplementary Information: While this material is not classifiable as hazardous under

the OSHA standard, this SDS contains valuable

information critical to safe handling and proper use of the product. This SDS should be retained and available for

employees and other users of this product.

3. Composition/Information on Ingredients

Chemical Name	CAS Number	Synonyms	Chemical Formula	Molecular Weight	Percentage
Ofloxacin	82419-36-1	7H-Pyrido [1,2,3-de]-1,4-benzoxazine-6-carboxylic acid, 9-fluoro-2,3-dihydro-3-methyl-10-(4-methyl-1-piperazinyl)-7-	C ₁₈ H ₂₀ FN ₃ O ₄	361.37	0.3%
		oxo-, (+/-)-			

^{*}The formula also contains Benzalkonium Chloride, 0.005% as preservative; Sodium Chloride and Water for injection. May also contain Hydrochloric Acid to and/or Sodium Hydroxide to adjust pH.



4. First Aid Measures

Ingestion: If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth with water. If swallowed, seek medical advice immediately and show the container or label. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. **Eye Contact:** Remove from source of exposure. Flush with copious amounts of water for at least 15 minutes. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary. Ensure that medical personnel are aware of the material(s) involved and are aware of precautions to protect themselves. Skin Contact: Remove from source of exposure. Remove and isolate contaminated clothing and shoes. Flush with copious amounts of water for at least 20 minutes. Use soap. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary. Ensure that medical personnel are aware of the material(s) involved and are aware of precautions to protect themselves. Inhalation: Remove from source of exposure. Move individual(s) to fresh air. Give artificial respiration if individual(s) are not breathing and call emergency medical service. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary. Ensure that medical personnel are aware of the material(s) involved and are aware of precautions to protect themselves. Protection of First-Aiders: Use personal protective equipment (see section 8). Signs and Symptoms: Not determined. See package insert for more information. **Medical Conditions Aggravated** by Exposure: The systemic administration of quinolones, including

ofloxacin, has led to lesions or erosions of the cartilage in weight-bearing joints and other signs of arthropathy in immature animals of various species. Ofloxacin, administered systemically at 10mg/kg/day in young dogs (equivalent to 110 times the maximum recommended daily adult ophthalmic dose) has been associated with these types of effects. Quinolones, including ofloxacin, have been shown to cause arthropathy in immature animals after oral administration; however, topical ocular administration of ofloxacin to immature animals has not shown any arthropathy. There is no evidence that the ophthalmic dosage form of ofloxacin has any effect on weight bearing joints.

Notes to Physician: Treat supportively and symptomatically.



5. <u>Firefighting Measures</u>

Flammability: Not determined.

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding

materials such as dry chemical, carbon dioxide, halon,

water spray or fog, and foam.

Unsuitable Extinguishing Media: Not determined.

Specific Hazards Arising from the Chemical:

Hazardous Combustion Products: Products of combustion may be toxic.

Other Specific Hazards: Not determined.

Special Protective Equipment/

Precautions for Firefighters: Wear self-contained breathing apparatus and full and

protective gear.

6. <u>Accidental Release Measures</u>

Personal Precautions: Use personal protective equipment recommended in

Section 8 of this document and isolate the hazard area.

Personal Protective Equipment: For personal protection see section 8.

Methods for Cleaning Up:Spills may be absorbed with a wet disposable towel or

other suitable adsorbent. Carefully collect and place in a suitable, properly labeled container for disposal. Clean

area using soap and water.

Environmental Precautions: Product as administered to patients presents a negligible

impact on the environment.

Reference to Other Sections: Refer to Sections 8, 12 and 13 for further information.

7. Handling and Storage

Precautions for Safe Handling: Avoid contact with product and use caution to prevent

puncturing containers. No special protective equipment or procedures are required in the clinical or home environment. Wash thoroughly after handling. Contaminated clothing should be laundered before reuse. Handle in accordance with product label and/or product insert information. Handle in accordance with

good industrial hygiene and safety practices.

Conditions for Safe Storage, Including Any Incompatibilities:

Store the product in original container with the cap tightly closed at a controlled room temperature 15°C – 25°C (59°F – 77°F). KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. Store according to label and/or product insert information. Store away from

oxidizing agents and acids.

Specific End Use: Pharmaceuticals.



8. Exposure Controls/Personal Protection

Occupational Exposure Guidelines:

Common or Chemical Name	Employee Exposure Limits	
Ofloxacin	Not established.	

Engineering Controls: Engineering controls should be used as the primary

means to control exposures.

Respiratory Protection: Where respirators are deemed necessary to reduce or

control occupational exposures, use NIOSH-approved respiratory protection and have an effective respirator program in place (applicable U.S. regulation OSHA 29

CFR 1910.134).

Eyes Protection: Not required for the normal use of this product. Safety

glasses with side shields are recommended. Face shields or goggles may be required if splash potential exists or if corrosive materials are present. Approved eye protection (e.g., bearing the ANSI Z87 or CSA stamp) is preferred. Maintain eyewash facilities in the

work area.

Hand Protection: Not required for the normal use of this product.

Chemically compatible gloves. For handling solutions, ensure that the glove material is protective against the solvent being used. Use handling practices that minimize direct hand contact. Employees who are sensitive to natural rubber (latex) should use nitrile or other synthetic non-latex gloves. Use of powdered latex gloves should

be avoided due to the risk of latex allergy.

Skin Protection: Not required for the normal use of this product. Wear

protective laboratory coat, apron, or disposable garment

when working with large quantities.

9. Physical and Chemical Properties

Physical State/Color: Clear, pale yellow to yellow solution.

Odor: No data available. Odor Threshold: No data available.

pH: 6.2 - 6.8.

Melting Point: No data available. Freezing Point: No data available. **Boiling Point:** No data available. Flash Point: No data available. **Evaporation Rate:** No data available. Flammability (solid, gas): No data available. Flammability Limit - Lower: No data available. Flammability Limit - Upper: No data available. Vapor Pressure: No data available. Vapor Density: No data available. **Relative Density:** No data available. Solubility(ies): Completely miscible.



Partition Coefficient

(n-octanol/water): No data available. Auto-Ignition Temperature: No data available. **Decomposition Temperature:** No data available.

Viscosity:

Aqueous.

Volatile Component:

Less than 1%.

10. **Stability and Reactivity**

Reactivity: No data available.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: No data available.

Conditions to Avoid (e.g., static

discharge, shock, or vibration): Extreme heat or cold.

Incompatible Materials: Similar to water; e.g. strong acids, base, alkali metals,

alkali hydrides and silver preparations.

Hazardous Decomposition

Products: Products of combustion may be toxic.

Hazardous Polymerization: Will not occur.

11. **Toxicological Information**

Information on the Likely Routes of Exposure:

Toxicity: Ofloxacin may be irritating to the eye/nose/throat and

> cause asthenia, malaise, seizures, anxiety, cognitive change, vertigo, cough, bronchospasm, tachycardia, syncope, hepatic dysfunction, kidney dysfunction, and

hypersensitivity reactions.

Inhalation: May irritate the respiratory system.

Ingestion: No data available.

Skin Contact: Ofloxacin should be discontinued at the first appearance

of a skin rash or any other sign of hypersensitivity

reaction.

Eye Contact: May cause eye irritation.

Symptoms Related to the Physical,

Chemical and Toxicological

Characteristics: See Section 4. To the best of our knowledge, the

chemical, physical and toxicological properties have not

been thoroughly investigated.

Delayed and Immediate Effects of

Exposure:

No data available.



Acute Toxicity:

Compound Species		Route	Type	Dose
Ofloxacin	Ofloxacin Male Rats		LD_{50}	3,590 mg/kg
Ofloxacin	Female Rats	Oral	LD ₅₀	3,750 mg/kg
Ofloxacin	Male Mice	Oral	LD ₅₀	5,450 mg/kg
Ofloxacin	Female Mice	Oral	LD ₅₀	5,290 mg/kg
Ofloxacin	Male	Oral	LD_Lo	17 mg/kg/d
Ofloxacin	Female	Oral	LD_Lo	24 mg/kg/d
Ofloxacin	Male Rats	Intravenous	LD_{50}	273 mg/kg
Ofloxacin	Female Rats	Intravenous	LD_{50}	276 mg/kg
Ofloxacin	Male Mice	Intravenous	LD ₅₀	280 mg/kg
Ofloxacin	Female Mice	Intravenous	LD ₅₀	233 mg/kg
Ofloxacin	Male Rats	Subcutaneous	LD ₅₀	7,070 mg/kg
Ofloxacin	Female Rats	Subcutaneous	LD ₅₀	9,000 mg/kg
Ofloxacin	Male Mice	Subcutaneous	LD ₅₀	10,000 mg/kg
Ofloxacin	Female Mice	Subcutaneous	LD ₅₀	10,000 mg/kg

Reproductive Toxicity – Embryotoxicity:

Compound	Species	Dose	Effect(s)
Ofloxacin	Rats	160 mg/kg/d	Embryotoxicity/ Not Teratogenic
Ofloxacin	Rabbits	810 mg/kg/d	Embryotoxicity/ Not Teratogenic

Acute Toxicity – Dermal:
Acute Toxicity – Inhalation:
Corrosivity:
No data available.
Sensitization:
No data available.

Target Organ Effects: None.

Reproductive Effects: No data available.

Carcinogenicity: Long-term studies to determine the carcinogenic

potential of Ofloxacin have not been conducted.

National Toxicology Program (NTP): Not considered to be a carcinogen.

International Agency for Research on

Cancer (IARC): Not considered to be a carcinogen.

Occupational Safety and Health

Administration (OSHA): Not considered to be a carcinogen.

Mutagenicity: Ofloxacin was not mutagenic in the Ames test, in vitro

and in vivo cytogenic assay, sister chromatid exchange

assay (Chinese hamster and human cell lines),

unscheduled DNA synthesis (UDS) assay using human

fibroblasts, the dominant lethal assay, or mouse

micronucleus assay. Ofloxacin was positive in the UDS test using rat hepatocyte, and in the mouse lymphoma

assay.



Fertility: In fertility studies in rats, Ofloxacin did not affect male or

female fertility or morphological or reproductive performance at oral dosing up to 360 mg/kg/day (equivalent to 4000 times the maximum recommended

daily ophthalmic dose).

Pregnancy: Pregnancy category C Ofloxacin has been shown to

have an embryocidal effect in rats and in rabbits when given in doses of 810 mg/kg/day (equivalent to 9000 times the maximum recommended daily ophthalmic dose) and 160 mg/kg/day (equivalent to 1800 times the maximum recommended daily ophthalmic dose). These dosages resulted in decreased fetal body weight and increased fetal mortality in rats and rabbits, respectively. Minor fetal skeletal variations were reported in rats receiving doses of 810 mg/kg/day. Ofloxacin has not been shown to be teratogenic at doses as high as 810 mg/kg/day and 160 mg/kg/day when administered to

pregnant rats and rabbits, respectively.

Nursing Mothers: In nursing women a single 200mg oral dose resulted in

concentrations of Ofloxacin in milk which were similar to those found in plasma. It is not known whether Ofloxacin is excreted in human milk following topical ophthalmic administration. Because of the potential for serious adverse reactions from Ofloxacin in nursing infants, a decision should be made whether to discontinue nursing

or to discontinue the drug, taking into account the importance of the drug to the mother.

Drug Interactions: Specific drug interaction studies have not been

conducted with Ofloxacin ophthalmic solution. However, the systemic administration of some quinolones has been shown to elevate plasma concentrations of theophylline, interfere with the metabolism of caffeine, and enhance the effects of the oral anticoagulant warfarin and its derivatives, and, has been associated with transient elevations in serum creatinine in patients

receiving cyclosporine concomitantly.

Aspiration Hazard: No data available.

12. <u>Ecological Information</u>

Other Adverse Effects:

Ecotoxicity

Aquatic:
Terrestrial:
Persistence and Degradability:
Bioaccumulative Potential:
Mobility in Soil:
Mobility in Environment:
No data available.
No data available.
No data available.
No data available.

No data available.



13. <u>Disposal Considerations</u>

Dispose of all waste in accordance with Federal, State and Local regulations.

14. Transport Information

UN Number:
UN Proper Shipping Name:
Transport Hazard Class(es):
Packing Group:

Not applicable.
Not applicable.
Not applicable.

Department of Transportation: Not regulated as a hazardous material.

International Air Transport

Association (IATA): Not regulated as a dangerous good.

International Maritime Dangerous

Good (IMDG): Not regulated as a dangerous good.

15. Regulatory Information

US Federal Regulations:

Toxic Substance Control Act

(TSCA): Not listed.

CERCLA Hazardous Substance

and Reportable Quantity: Not listed.

SARA 313: Not listed. SARA 302: Not listed.

State Regulations

California Proposition 65: Not listed.

16. Other Information

Not made with natural rubber latex.

Revision Date: 05/06/2015

Revision Number: 1

Disclaimer: This document is generated to distribute health, safety and environmental data. It is not a specification sheet and none of the displayed data should be construed as a specification. Information on this SDS sheet was obtained from sources which we believe are reliable, and we believe that the information is complete and accurate. However, the information is provided without any warranty, express or implied, regarding its correctness. Some of the information presented and conclusions drawn are from sources other than direct test data of the substance. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may also be beyond our knowledge. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. If the product is used as a component in another product, this SDS information may not be applicable. For these reasons, we do not assume any responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.