

DISCLAIMER

All labeling reflected on this website is for informational and promotional purposes only. It is not intended to be used by healthcare professionals or patients for the purpose of prescribing or administering these products. Questions regarding the current content of product labeling should be directed to Akorn's Customer Service department at 800.932.5676.

NDC 17478-623-12

5%
Sodium Chloride Ophthalmic Solution, USP
Hypertonicity Eye Drops
Comparable to Muro-128^{®*}
15 mL (0.5 fl. oz.), Sterile

Drug Facts

Active ingredient

Sodium Chloride 5%

Purpose

Hypertonicity Agent

Use

- for temporary relief of corneal edema.

Warnings

Do not use

- this product except under the advice and supervision of a doctor.
- if imprinted seal is broken or missing.
- if solution changes color or becomes cloudy.

When using this product

- temporary burning and irritation upon being instilled into eye may occur.
- to avoid contamination, do not touch tip of container to any surface.
- replace cap after each use.

Stop use and ask a doctor if

- you experience eye pain.
- you experience changes in vision.
- redness or irritation of the eye continues.
- condition worsens or persists.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions Instill 1 or 2 drops in the affected eye(s) as needed.

Other Information

- **STORAGE:** Store at 20° to 25°C (68° to 77°F). [See USP Controlled Room Temperature].
- **Keep tightly closed.**

Inactive Ingredients Boric Acid, Hypromellose 2906, Methylparaben 0.23 mg (0.023%), Propylparaben 0.1 mg (0.01%), Propylene Glycol, Sodium Borate, Sodium Hydroxide and/or Hydrochloric Acid to adjust pH (6.0 to 8.0), and Purified Water USP.

* Muro-128[®] is a registered trademark of Bausch and Lomb Pharmaceuticals

Akorn, Inc.
Lake Forest, IL 60045

Questions
1-800-932-5676
Monday to Friday
8:00 a.m. to 5:00 p.m., CST

Rev. 06/08

