

## DISCLAIMER

All labeling reflected on this website is for informational and promotional purposes only. It is not intended to be used by healthcare professionals or patients for the purpose of prescribing or administering these products. Questions regarding the current content of product labeling should be directed to Akom's Customer Service department at 800.932.5676.

# Loperamide Hydrochloride Oral Solution

## 1 mg/5 mL

### Anti-Diarrheal

Rev. 618:02 01/15



---

## Drug Facts

---

### Active ingredient

(in each 5 mL teaspoonful)

### Purpose

Loperamide HCl 1 mg .....Antidiarrheal

---

**Uses** controls the symptoms of diarrhea, including Traveler's Diarrhea.

---

### Warnings

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

---

**Do not use** if you have bloody or black stool.

---

### Ask a doctor before use if you have

- high fever (greater than 101°F)
  - mucus present in your stool
  - a history of liver disease
- 

**Ask a doctor or pharmacist before use if you are** taking antibiotics.

---

**Stop use and ask a doctor if** diarrhea lasts more than 2 days.

---

**If pregnant or breast-feeding,** ask a health professional before use.

---

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

---

### Directions

- drink plenty of clear fluid to help prevent dehydration, which may accompany diarrhea
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

## **Drug Facts** (continued)

adults and children 12 years and older	20 mL after the first loose bowel movement; 10 mL after each subsequent loose bowel movement; but no more than 40 mL a day
children 9-11 years (60-95 lbs)	10 mL after the first loose bowel movement; 5 mL after each subsequent loose bowel movement; but no more than 30 mL a day
children 6-8 years (48-59 lbs)	10 mL after the first loose bowel movement; 5 mL after each subsequent loose bowel movement; but no more than 20 mL a day
children under 6 years (up to 47 lbs)	ask a doctor (not intended for use in children under 6 years old)

### **Other information**

- avoid excess heat
- store at room temperature, 15°C to 30°C (59°F to 86°F)

**Inactive ingredients** alcohol (0.5%), benzoic acid, cherry flavor, glycerin, mint flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution. Citric acid may be used to adjust pH.

### **Questions or comments?**

Call **1-800-262-9010** Mon. – Thurs. 9:00 am – 4:30 pm EST, Fri. 9:00 am thru 2:30 pm EST. Serious side effects associated with use of this product may be reported to this number.

Manufactured by:  
Hi-Tech Pharmacal Co., Inc.  
Amityville, NY 11701

Rev. 618:02 01/15  
MG #36488