All labeling reflected on this website is for informational and promotional purposes only. It is not intended to be

used by healthcare professionals or patients for the purpose of prescribing or administering these products.

Questions regarding the current content of product labeling should be directed to Akorn's Customer Service

DISCLAIMER

department at 800.932.5676.

Drug Facts

Active ingredient (in each teaspoon)

Purpose

Docusate Sodium 50 mg..... ...Stool Softener Laxative

Use • relieves occasional constipation generally produces bowel movement in 12-72 hours

Warnings Do not use

- if you are presently taking mineral oil
- · when abdominal pain, nausea, or vomiting are present
- for longer than one week

Ask a doctor before use if you have noticed a sudden change in bowel habits that lasts over two weeks.

Ask a doctor or pharmacist before use if you are taking any other drug. Take this product two or more hours before or after other drugs.

Stop use and ask a doctor if

- · vou have rectal bleeding
- vou fail to have a bowel movement after use of this product

These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Hi-Tech **PHARMACAL**

NDC 50383-771-16

DOCU

(Docusate Sodium 50 mg/5 mL)

STOOL SOFTENER **I AXATIVE**

TAMPER EVIDENT: FOR YOUR PROTECTION THE CHILD RESISTANT CAP HAS A PRINTED SAFFTY SFAL AROUND THE NECK, DO NOT ACCEPT IF BROKEN OR MISSING

Hi-Tech Pharmacal Co., Inc. Amityville, NY 11701

NET CONTENTS ONE PINT (473 mL)

Drug Facts (continued)

Directions

 may be taken once daily or in divided doses • give dose in 1/2 glass of milk, fruit juice or infant formula to mask bitter taste and prevent throat irritation

unout innution	
adults and children over 12	1 to 7 teaspoons
children 2 to under 12	1 to 3 teaspoons
children under 2	ask a doctor

Other information

- each teaspoon contains: sodium 5 mg
- shake well before using
- store at controlled room temperature 15°-30°C (59°-86°F)
- · dispense contents with a child resistant closure in a tight, light resistant container as defined in the USP

Inactive ingredients D&C Red #33. methylparaben, natural & artificial vanilla flavor, poloxamer 181, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium benzoate. Sodium citrate may be used to adjust pH.

Ouestions or comments? Call 1-800-262-9010

Mon. - Thurs. 9:00 am - 4:30 pm EST, Fri. 9:00 am - 2:30 pm EST.

Serious side effects associated with use of this product may be reported to this number.



50383-771-16 6

REV. 771:07 02/14